

Immunization Programs and Vaccine Preventable Diseases Service

655 West 12th Avenue Vancouver, BC V5Z 4R4

Tel 604.707.2519 Fax 604.707.2515

www.bccdc.ca

Immunization Coverage in Children by the Second Birthday

2011-2021

April 2024





Contents

Abbreviations	3
Executive Summary	4
Up-to-date for age	6
Up-to-date for age in British Columbia	6
Up-to-date for age minus booster in British Columbia	9
Up-to-date for age by Health Authority	10
Up-to-date for age by Health Service Delivery Area	12
Diphtheria, Tetanus, Pertussis and Polio (DTaP-IPV)	20
Diphtheria, Tetanus, Pertussis, Polio, Haemophilus influenzae type b (DTaP-IPV-Hib)	24
Haemophilus influenzae type b (Hib)	25
Hepatitis B	29
Measles, Mumps, and Rubella (MMR)	33
Meningococcal C Conjugate	36
Polio	40
Pneumococcal Conjugate	44
Rotavirus	48
Varicella	52
Data Sources	56
Up-to-date for age definitions	56
Reasons for non-immunization definitions	58
Minimum Ages and Intervals Between Doses	60
Two-year-olds with Up-to-date Immunizations by Health Authority and Health Service Delivarea, Vancouver Coastal Health	-
Notes	63
Acknowledgements	66

Abbreviations

Health Authorities

IH	Interior Health	ISLH	Island Health
FH	Fraser Health	NH	Northern Health

VCH Vancouver Coastal Health

Health Service Delivery Areas

EK	East Kootenay	VAN	Vancouver
KB	Kootenay Boundary	NSCG	North Shore / Coast Garibaldi
OK	Okanagan	SVI	South Vancouver Island
TCS	Thompson Cariboo Shuswap	CVI	Central Vancouver Island
FE	Fraser East	NVI	North Vancouver Island
FN	Fraser North	NW	Northwest
FS	Fraser South	NI	Northern Interior
RICH	Richmond	NE	Northeast

Additional abbreviations

BC	British Columbia	PIR	Provincial Immunization Registry
DTaP	Diphtheria, tetanus, acellular pertussis	DTaP-IPV-Hib	Diphtheria, tetanus, acellular pertussis, polio, <i>Haemophilus influenzae</i> type b
DTaP-IPV	Diphtheria, tetanus, acellular pertussis, polio	MMR	Measles, mumps, rubella

For an explanation of BC Health Authorities, please visit this website.

Executive Summary

Infants in BC are currently <u>recommended</u> to receive thirteen doses of seven different vaccines that protect against thirteen diseases: diphtheria, tetanus, pertussis, polio, <u>Haemophilus influenzae</u> type b (Hib), hepatitis B, measles, mumps, rubella, varicella, pneumococcal disease, meningococcal serogroup C disease, and rotavirus. For most doses, the recommended age milestones for receipt are 2, 4, 6, or 12 months with a booster dose of DTaP-IPV-Hib at 18 months.

Childhood immunization coverage is routinely assessed at milestone ages in BC. This report outlines coverage among two-year-olds from 2011 to 2021 including indicators of whether infants received specific antigens/agents by the second birthday, all routine immunizations by the second birthday, and all routine immunizations except the 18-month booster dose by the second birthday. As a signatory to Canada's Vaccination Coverage Goals and Vaccine Preventable Disease Reduction Targets by 2025, BC aims to achieve 95% vaccination coverage by two years for the following vaccines: diphtheria, tetanus, pertussis and Hib, polio, hepatitis B, MMR, varicella, pneumococcal conjugate, and meningococcal C conjugate.

Following a period of stable coverage from 2016 to 2020, the proportion of two-year-olds in BC who were up-to-date for all routine immunizations declined from 73% in 2020 to 70% in 2021 (Figure 1). The percentage of infants who received all routine vaccines excluding the 18-month booster peaked at 83-84% in 2019/2020 before declining by 4% in 2021 (Figure 3). This decline coincides with the COVID-19 pandemic as the 2019 birth cohort (2021 report) was scheduled to receive their 12- and 18-month vaccine doses starting in 2020. BC initially implemented a province-wide shut down, which impacted the provision of public health services as well as in-person clinical services by physician providers. Routine childhood immunization may have been affected in some regions due to rescheduled appointments or longer wait times. Up-to-date coverage has not rebounded to pre-pandemic rates and remains well below the 95% coverage target.

In the health authorities, 2021 up-to-date coverage ranged from 65% to 72% (Figure 1); coverage was highest in Island Health (72%), with comparable rates in Interior Health and Fraser Health (70%), and the lowest coverage in Northern Health (65%). All health authorities had a decline in up-to-date coverage from 2020 to 2021, with the largest decline in Fraser Health (4%).

The percentage of two-year-olds who were up-to-date for all routine immunizations except the 18-month booster ranged from 75% to 81% at the health authority level in 2021 (Figure 3). Up-to-date minus booster coverage declined slightly in all health authorities from 2019-2021, except for Northern Health which had a 5% increase from 2019 to 2020 followed by a 3% decrease in 2021. The gap between the proportion of infants fully up-to-date and up-to-date minus the booster was 9% provincially (Table 1) and ranged from 9-10% at the health authority level (Table 2). While this indicates that many infants are receiving immunizations recommended in the first year of life, there is an opportunity to improve uptake of the 18-month booster vaccines.

At the health service delivery area (HSDA) level, there were notable declines in up-to-date coverage in 2021 compared to 2020 in Fraser East (5%), Northeast (4%), and Fraser South (4%), with up-to-date minus booster coverage also declining by 6% in Fraser South and 5% in Fraser East and Northeast (Tables 4 & 6). All HSDAs had declines in up-to-date coverage in 2021 compared to 2020 with the exception of North Vancouver Island which had a 1% increase and Northwest which was stable (Tables 5 & 6).

Compared to 2020, provincial coverage declined by 3% for DTaP-IPV, DTaP-IPV-Hib, Hib, MMR, polio, and varicella in 2021 (Figure 2). Declines of 2% were seen for pneumococcal conjugate and meningococcal C, while coverage for hepatitis B was stable. Rotavirus coverage increased by 12% from 2020, but this was

Provincial Health Services Authority

due to a change in the definition of up-to-date for rotavirus from three to two doses (see <u>Notes</u> for more information). Rates in 2021 were lowest for DTaP-containing agents (73%) and highest for hepatitis B (85%). As shown in Table 2, across the health authorities, coverage was within 1-3% of the 2020 rate for most antigens/agents, however, in Fraser Health larger declines were seen in DTaP-containing agents (5%), Hib (4%), and polio (4%). Approximately 9% of two-year-olds in BC had no routine immunizations recorded prior to their second birthday, which is comparable to the 2020 rate (Table 1); this figure ranged from 8% (Fraser, Island) to 10% (Interior, Northern) at the health authority level.

Limitations


The BCCDC Immunization Coverage Dashboard is available online here.

^a Provincial estimates do not include Vancouver Coastal Health (see Notes)

Up-to-date for age

Up-to-date for age in British Columbia

Two-year-olds immunized up-to-date for age, British Columbia







Figure 1. Percent of two-year-olds immunized up-to-date for age, British Columbia^a



Note: Axis ranges from 60% to 100%

Figure 2. Percent of two-year-olds immunized up-to-date by antigen/agent, British Columbia^a

Table 1. Percent of two-year-olds with up-to-date immunizations, British Columbia^a

						Year					
Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Up-to-date for age	68%	71%	68%	67%	70%	73%	74%	74%	74%	73%	70%
Up-to-date minus the booster	77%	79%	78%	76%	78%	80%	81%	81%	84%	83%	79%
Specific Agents											
DTaP-IPV	75%	77%	74%	73%	75%	78%	78%	78%	77%	76%	73%
DTaP-IPV-Hib	75%	77%	74%	72%	75%	78%	78%	78%	77%	76%	73%
Hepatitis B	84%	86%	85%	84%	85%	86%	86%	87%	86%	85%	85%
Hib	79%	81%	77%	76%	79%	79%	82%	82%	81%	79%	76%
MMR ^b	75%	88%	86%	85%	86%	87%	87%	87%	88%	86%	83%
Polio	78%	80%	76%	75%	78%	80%	81%	81%	80%	78%	75%
Varicella	84%	85%	83%	82%	84%	85%	86%	86%	86%	85%	83%
Pneumococcal conjugate	85%	86%	84%	82%	83%	85%	85%	85%	85%	84%	82%
Meningococcal C	87%	88%	86%	84%	86%	87%	87%	87%	87%	85%	83%
Rotavirus ^c	n/a	n/a	n/a	70%	75%	79%	81%	83%	82%	72%	84%
No immunizations recorded	n/a	n/a	n/a	n/a	7%	7%	6%	6%	6%	8%	9%
Refusal to all ^d	n/a	n/a	n/a	n/a	2%	2%	2%	1%	1%	1%	0%

^b Two doses of measles/mumps/rubella were required prior to 2012. See <u>Notes</u>.

c Rotavirus was added to BC's routine infant immunization schedule in January 2012; therefore the 2012 birth cohort (2014 report) was the first cohort eligible for this series. Three doses of rotavirus were required for the 2020 report. See Notes.

^d PIR does not contain complete supplementary information on refusals for FH and NH and refusal rates will be underestimated. See <u>Notes</u>.

Up-to-date for age minus booster in British Columbia

Two-year-olds immunized up-to-date for age minus the booster, British Columbia






Figure 3. Percent of two-year-olds immunized up-to-date for age minus the booster, British Columbia

Up-to-date for age by Health Authority

Table 2. Percent of two-year-olds with up-to date immunizations by Health Authority

Health							Year					
Authority	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Interior Health	Up-to-date for age	70%	75%	71%	68%	68%	72%	73%	73%	75%	72%	70%
IH	Up-to-date minus the booster	79%	82%	80%	77%	77%	79%	79%	80%	83%	81%	79%
	Specific Agents											
	DTaP-IPV	77%	80%	76%	73%	73%	76%	77%	77%	78%	75%	72%
	DTaP-IPV-Hib	77%	80%	75%	73%	73%	76%	77%	77%	78%	74%	72%
	Hepatitis B	86%	88%	87%	84%	84%	85%	85%	86%	85%	85%	85%
	Hib	80%	83%	78%	76%	76%	78%	80%	80%	81%	76%	75%
	MMR	76%	89%	87%	85%	84%	86%	86%	86%	87%	85%	82%
	Polio	79%	82%	77%	75%	75%	78%	79%	78%	79%	76%	74%
	Varicella	84%	86%	84%	81%	81%	83%	83%	84%	85%	83%	81%
	Pneumococcal conjugate	86%	89%	86%	83%	83%	84%	85%	85%	85%	84%	82%
	Meningococcal C	88%	90%	88%	85%	84%	86%	86%	86%	87%	84%	82%
	Rotavirus	n/a	n/a	n/a	69%	70%	73%	77%	80%	81%	72%	82%
	No immunizations recorded	n/a	n/a	n/a	n/a	9%	9%	8%	8%	8%	10%	10%
	Refusal to all	n/a	n/a	n/a	n/a	3%	2%	3%	2%	2%	1%	1%
Fraser Health ^d	Up-to-date for age	67%	71%	68%	68%	72%	76%	77%	78%	75%	74%	70%
FH	Up-to-date minus the booster	75%	78%	76%	76%	79%	82%	82%	84%	85%	84%	79%
	Specific Agents											
	DTaP-IPV	75%	78%	74%	74%	77%	81%	82%	82%	79%	78%	73%
	DTaP-IPV-Hib	75%	77%	74%	74%	77%	80%	82%	82%	79%	78%	73%
	Hepatitis B	83%	85%	84%	83%	85%	87%	88%	89%	87%	86%	84%
	Hib	79%	82%	77%	77%	81%	82%	85%	86%	83%	81%	77%
	MMR	75%	88%	85%	85%	87%	89%	89%	89%	88%	87%	84%
	Polio	78%	80%	77%	76%	80%	83%	84%	84%	81%	80%	76%
	Varicella	84%	86%	84%	83%	86%	88%	88%	89%	87%	86%	84%
	Pneumococcal conjugate	83%	85%	83%	82%	84%	86%	87%	87%	86%	85%	82%
	Meningococcal C	86%	88%	85%	84%	87%	88%	89%	89%	88%	86%	84%
	Rotavirus	n/a	n/a	n/a	69%	79%	83%	85%	86%	85%	74%	85%
	No immunizations recorded	n/a	n/a	n/a	n/a	6%	6%	5%	5%	5%	7%	8%
	Refusal to all ^d	n/a	n/a	n/a	n/a	1%	1%	2%	1%	1%	0%	0%

Health							Year					
Authority	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Island Health	Up-to-date for age	69%	68%	67%	65%	70%	74%	73%	71%	75%	73%	72%
ISLH	Up-to-date minus the booster	79%	78%	79%	76%	79%	81%	81%	80%	86%	83%	81%
	Specific Agents											
	DTaP-IPV	75%	73%	71%	70%	74%	78%	77%	75%	79%	75%	75%
	DTaP-IPV-Hib	75%	73%	71%	70%	74%	77%	76%	75%	78%	75%	74%
	Hepatitis B	86%	86%	86%	84%	85%	87%	87%	86%	88%	86%	86%
	Hib	78%	76%	75%	75%	79%	79%	81%	80%	83%	78%	78%
	MMR	74%	86%	85%	85%	87%	88%	88%	86%	90%	86%	85%
	Polio	77%	75%	74%	74%	78%	80%	79%	78%	81%	77%	76%
	Varicella	84%	83%	83%	82%	84%	86%	86%	85%	88%	85%	84%
	Pneumococcal conjugate	86%	85%	84%	83%	84%	86%	86%	84%	88%	84%	84%
	Meningococcal C	87%	86%	86%	85%	86%	88%	87%	86%	89%	85%	85%
	Rotavirus	n/a	n/a	n/a	70%	73%	76%	81%	81%	82%	72%	84%
	No immunizations recorded	n/a	n/a	n/a	n/a	6%	6%	5%	6%	5%	8%	8%
	Refusal to all	n/a	n/a	n/a	n/a	1%	1%	2%	1%	1%	1%	1%
Northern	Up-to-date for age	69%	72%	68%	65%	63%	63%	63%	63%	61%	67%	65%
Health ^d	Up-to-date minus the booster	79%	79%	77%	75%	72%	70%	72%	72%	73%	78%	75%
NH	Specific Agents											
	DTaP-IPV	77%	78%	73%	70%	70%	69%	68%	68%	65%	70%	68%
	DTaP-IPV-Hib	77%	78%	73%	70%	69%	69%	68%	68%	65%	70%	68%
	Hepatitis B	87%	88%	86%	84%	82%	79%	80%	82%	74%	81%	82%
	Hib	80%	81%	76%	74%	73%	70%	73%	72%	74%	74%	72%
	MMR	76%	88%	85%	84%	81%	80%	79%	79%	80%	82%	80%
	Polio	78%	80%	76%	73%	72%	72%	71%	70%	70%	73%	70%
	Varicella	83%	83%	80%	80%	77%	77%	77%	77%	78%	80%	78%
	Pneumococcal conjugate	87%	86%	84%	81%	78%	78%	77%	77%	72%	79%	78%
	Meningococcal C	88%	87%	85%	84%	81%	80%	79%	79%	79%	81%	80%
	Rotavirus	n/a	n/a	n/a	71%	69%	72%	75%	79%	71%	68%	80%
	No immunizations recorded	n/a	n/a	n/a	n/a	8%	9%	11%	8%	10%	11%	10%
	Refusal to all ^d	n/a	n/a	n/a	n/a	2%	2%	2%	1%	1%	0%	0%

Provincial Health Services Authority

Up-to-date for age by Health Service Delivery Area

Interior Health

Table 3. Percent of two-year-olds with up-to-date immunizations by Health Service Delivery Area, Interior Health

HSDA	Vascination Dataile						Year					
нэра	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
East	Up-to-date for age	71%	74%	67%	71%	72%	78%	78%	78%	76%	78%	77%
Kootenay	Up-to-date minus the booster	79%	82%	79%	78%	80%	83%	82%	83%	84%	85%	84%
EK	Specific Agents											
	DTaP-IPV	78%	82%	74%	77%	78%	84%	82%	83%	81%	81%	78%
	DTaP-IPV-Hib	78%	81%	74%	77%	78%	84%	82%	83%	81%	81%	78%
	Hepatitis B	86%	89%	87%	86%	86%	89%	87%	90%	85%	89%	88%
	Hib	81%	84%	77%	81%	82%	85%	86%	86%	84%	84%	82%
	MMR	77%	92%	89%	89%	89%	91%	89%	91%	90%	89%	88%
	Polio	80%	83%	76%	80%	80%	85%	84%	85%	82%	83%	80%
	Varicella	86%	88%	86%	84%	85%	88%	86%	87%	88%	87%	86%
	Pneumococcal conjugate	87%	91%	87%	86%	87%	90%	88%	88%	87%	87%	86%
	Meningococcal C	89%	92%	89%	88%	89%	91%	89%	91%	89%	88%	87%
	Rotavirus	n/a	n/a	n/a	71%	71%	77%	80%	86%	83%	75%	85%
	No immunizations recorded	n/a	n/a	n/a	n/a	6%	5%	7%	5%	6%	8%	8%
	Refusal to all	n/a	n/a	n/a	n/a	4%	2%	4%	3%	2%	2%	2%
Kootenay	Up-to-date for age	54%	56%	57%	51%	58%	60%	58%	66%	66%	62%	59%
Boundary	Up-to-date minus the booster	62%	64%	65%	63%	65%	68%	67%	72%	76%	73%	69%
KB	Specific Agents											
	DTaP-IPV	65%	65%	67%	60%	66%	67%	66%	71%	71%	65%	61%
	DTaP-IPV-Hib	64%	65%	67%	60%	66%	66%	66%	71%	71%	65%	61%
	Hepatitis B	73%	76%	79%	74%	76%	76%	77%	79%	81%	79%	78%
	Hib	68%	67%	71%	64%	71%	68%	71%	76%	76%	68%	67%
	MMR	65%	76%	79%	76%	77%	77%	80%	81%	83%	79%	75%
	Polio	69%	67%	69%	62%	68%	69%	68%	73%	74%	66%	63%
	Varicella	69%	68%	70%	68%	69%	72%	74%	77%	78%	76%	72%
	Pneumococcal conjugate	77%	76%	77%	72%	75%	76%	77%	79%	80%	77%	73%
	Meningococcal C	77%	77%	79%	75%	77%	78%	79%	80%	82%	78%	75%
	Rotavirus	n/a	n/a	n/a	54%	51%	59%	62%	68%	69%	64%	71%
	No immunizations recorded	n/a	n/a	n/a	n/a	6%	15%	13%	13%	10%	14%	15%
	Refusal to all	n/a	n/a	n/a	n/a	4%	3%	3%	3%	2%	2%	1%

							Year					
HSDA	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Okanagan	Up-to-date for age	69%	78%	72%	67%	70%	73%	74%	73%	75%	72%	71%
ОК	Up-to-date minus the booster	78%	84%	81%	76%	78%	80%	81%	80%	83%	81%	78%
	Specific Agents											
	DTaP-IPV	75%	83%	76%	72%	74%	77%	78%	76%	78%	75%	73%
	DTaP-IPV-Hib	75%	83%	76%	72%	74%	77%	78%	76%	78%	75%	73%
	Hepatitis B	86%	88%	88%	83%	84%	85%	86%	85%	86%	85%	84%
	Hib	78%	85%	78%	74%	77%	79%	81%	79%	80%	76%	75%
	MMR	74%	90%	87%	83%	85%	86%	86%	86%	87%	84%	81%
	Polio	77%	84%	78%	74%	76%	79%	80%	77%	79%	76%	74%
	Varicella	83%	88%	85%	80%	82%	83%	84%	84%	85%	82%	80%
	Pneumococcal conjugate	85%	90%	87%	82%	83%	85%	86%	84%	85%	83%	81%
	Meningococcal C	86%	91%	88%	83%	84%	86%	86%	86%	86%	83%	81%
	Rotavirus	n/a	n/a	n/a	69%	73%	74%	79%	80%	81%	73%	82%
	No immunizations recorded	n/a	n/a	n/a	n/a	8%	8%	8%	9%	8%	10%	11%
	Refusal to all	n/a	n/a	n/a	n/a	3%	2%	3%	2%	2%	1%	1%
Thompson	Up-to-date for age	77%	77%	76%	74%	69%	72%	73%	74%	77%	73%	70%
Cariboo	Up-to-date minus the booster	85%	85%	86%	83%	79%	80%	80%	82%	85%	84%	81%
Shuswap	Specific Agents											
TCS	DTaP-IPV	83%	82%	78%	78%	72%	76%	76%	77%	79%	75%	72%
	DTaP-IPV-Hib	83%	82%	78%	78%	72%	76%	76%	77%	79%	75%	72%
	Hepatitis B	90%	90%	90%	89%	86%	85%	85%	87%	87%	86%	87%
	Hib	86%	83%	81%	80%	75%	77%	80%	80%	82%	77%	75%
	MMR	82%	91%	91%	89%	85%	86%	86%	87%	88%	86%	84%
	Polio	85%	83%	80%	80%	75%	79%	78%	79%	80%	77%	74%
	Varicella	89%	89%	89%	86%	83%	85%	84%	86%	86%	85%	83%
	Pneumococcal conjugate	92%	90%	90%	88%	84%	84%	85%	86%	86%	85%	84%
	Meningococcal C	92%	92%	91%	89%	85%	86%	86%	88%	88%	86%	84%
	Rotavirus	n/a	n/a	n/a	75%	73%	75%	76%	80%	82%	71%	84%
	No immunizations recorded	n/a	n/a	n/a	n/a	8%	9%	9%	8%	7%	8%	8%
	Refusal to all	n/a	n/a	n/a	n/a	2%	2%	2%	2%	2%	1%	1%

Provincial Health Services Authority

Fraser Health

Table 4. Percent of two-year-olds with up-to-date immunizations by Health Service Delivery Area, Fraser Health^d

							Year					
HSDA	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Fraser East	Up-to-date for age	68%	72%	67%	68%	71%	75%	77%	78%	75%	73%	68%
FE	Up-to-date minus the booster	79%	81%	77%	77%	80%	82%	82%	84%	84%	83%	78%
	Specific Agents											
	DTaP-IPV	74%	77%	71%	71%	75%	78%	80%	80%	78%	75%	70%
	DTaP-IPV-Hib	73%	76%	71%	71%	75%	78%	80%	80%	78%	75%	70%
	Hepatitis B	86%	87%	85%	84%	86%	87%	87%	88%	87%	85%	84%
	Hib	77%	81%	74%	75%	79%	80%	85%	83%	82%	78%	74%
	MMR	74%	88%	84%	84%	86%	87%	88%	88%	88%	85%	82%
	Polio	76%	79%	73%	74%	78%	80%	82%	82%	80%	77%	73%
	Varicella	83%	85%	81%	81%	83%	85%	86%	86%	86%	84%	82%
	Pneumococcal conjugate	84%	86%	82%	81%	84%	86%	87%	87%	86%	83%	81%
	Meningococcal C	86%	88%	84%	84%	86%	87%	88%	88%	87%	85%	82%
	Rotavirus	n/a	n/a	n/a	70%	73%	77%	80%	81%	81%	73%	82%
	No immunizations recorded	n/a	n/a	n/a	n/a	7%	7%	7%	7%	7%	9%	8%
	Refusal to all	n/a	n/a	n/a	n/a	3%	3%	4%	2%	2%	2%	0%
Fraser North	Up-to-date for age	66%	69%	66%	67%	71%	74%	76%	78%	74%	73%	70%
FN	Up-to-date minus the booster	73%	75%	74%	74%	77%	80%	81%	83%	83%	83%	78%
	Specific Agents											
	DTaP-IPV	74%	76%	74%	74%	77%	80%	81%	83%	79%	77%	73%
	DTaP-IPV-Hib	73%	75%	73%	73%	77%	80%	81%	83%	78%	77%	73%
	Hepatitis B	81%	83%	83%	81%	84%	85%	86%	89%	86%	84%	84%
	Hib	77%	80%	77%	77%	80%	81%	85%	86%	82%	80%	77%
	MMR	74%	87%	84%	84%	86%	87%	88%	90%	87%	86%	83%
	Polio	76%	79%	76%	76%	80%	82%	83%	85%	81%	79%	75%
	Varicella	83%	84%	83%	82%	85%	86%	87%	90%	86%	85%	83%
	Pneumococcal conjugate	81%	83%	81%	80%	83%	85%	86%	87%	84%	83%	81%
	Meningococcal C	84%	85%	84%	83%	86%	87%	88%	90%	86%	85%	83%
	Rotavirus	n/a	n/a	n/a	66%	79%	83%	85%	87%	84%	73%	85%
	No immunizations recorded	n/a	n/a	n/a	n/a	7%	6%	6%	5%	6%	8%	9%
	Refusal to all	n/a	n/a	n/a	n/a	1%	1%	1%	1%	0%	0%	0%
Fraser South	Up-to-date for age	66%	72%	69%	69%	74%	77%	78%	79%	76%	76%	72%
FS	Up-to-date minus the booster	75%	80%	78%	77%	81%	83%	84%	84%	86%	86%	80%
	Specific Agents											
	DTaP-IPV	76%	79%	75%	75%	79%	82%	83%	83%	80%	79%	75%

LICDA	Variantina Batalla						Year					
HSDA	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
	DTaP-IPV-Hib	76%	79%	75%	75%	79%	82%	83%	83%	80%	79%	75%
	Hepatitis B	83%	87%	85%	85%	86%	88%	89%	89%	88%	87%	85%
	Hib	80%	83%	79%	79%	83%	83%	86%	86%	83%	82%	79%
	MMR	77%	90%	87%	87%	89%	90%	90%	89%	90%	88%	85%
	Polio	79%	82%	78%	78%	82%	85%	85%	85%	82%	81%	77%
	Varicella	85%	87%	86%	85%	88%	89%	90%	89%	89%	88%	85%
	Pneumococcal conjugate	85%	87%	84%	83%	86%	88%	88%	87%	87%	87%	84%
	Meningococcal C	88%	89%	87%	86%	88%	90%	90%	89%	89%	88%	85%
	Rotavirus	n/a	n/a	n/a	72%	82%	84%	87%	87%	87%	74%	87%
	No immunizations recorded	n/a	n/a	n/a	n/a	5%	4%	4%	5%	4%	6%	7%
	Refusal to all	n/a	n/a	n/a	n/a	1%	1%	1%	0%	1%	0%	0%

Provincial Health Services Authority

Island Health

Table 5. Percent of two-year-olds with up-to-date immunizations by Health Service Delivery Area, Island Health

							Year					
HSDA	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
South	Up-to-date for age	71%	70%	69%	68%	74%	76%	76%	76%	79%	78%	77%
Vancouver	Up-to-date minus the booster	81%	80%	81%	78%	81%	82%	83%	83%	89%	85%	84%
Island	Specific Agents											
SVI	DTaP-IPV	78%	75%	73%	74%	79%	80%	81%	80%	83%	81%	79%
	DTaP-IPV-Hib	78%	75%	73%	74%	79%	80%	80%	80%	83%	81%	79%
	Hepatitis B	87%	87%	88%	86%	87%	88%	89%	89%	90%	88%	88%
	Hib	81%	78%	77%	77%	82%	81%	83%	83%	85%	82%	81%
	MMR	77%	87%	87%	87%	89%	89%	89%	89%	92%	88%	87%
	Polio	80%	77%	76%	77%	81%	82%	82%	82%	84%	82%	81%
	Varicella	85%	85%	84%	83%	86%	86%	88%	87%	90%	87%	87%
	Pneumococcal conjugate	88%	87%	86%	85%	87%	87%	87%	86%	90%	87%	87%
	Meningococcal C	89%	88%	88%	86%	89%	88%	89%	88%	91%	87%	87%
	Rotavirus	n/a	n/a	n/a	73%	77%	79%	84%	84%	86%	78%	86%
	No immunizations recorded	n/a	n/a	n/a	n/a	5%	5%	4%	5%	4%	7%	7%
	Refusal to all	n/a	n/a	n/a	n/a	1%	1%	1%	0%	0%	0%	0%
Central	Up-to-date for age	64%	64%	62%	58%	64%	69%	67%	64%	69%	67%	65%
Vancouver	Up-to-date minus the booster	76%	76%	76%	73%	75%	79%	78%	76%	83%	79%	77%
Island	Specific Agents											
CVI	DTaP-IPV	69%	69%	66%	63%	68%	74%	71%	68%	72%	69%	67%
	DTaP-IPV-Hib	69%	69%	66%	63%	68%	73%	71%	68%	72%	69%	67%
	Hepatitis B	85%	85%	84%	82%	83%	85%	83%	83%	86%	84%	83%
	Hib	73%	73%	71%	69%	75%	75%	78%	74%	78%	72%	72%
	MMR	69%	84%	83%	82%	84%	87%	85%	83%	88%	83%	81%
	Polio	72%	72%	70%	68%	73%	77%	75%	72%	77%	72%	70%
	Varicella	81%	82%	80%	79%	81%	84%	83%	81%	86%	81%	80%
	Pneumococcal conjugate	83%	83%	81%	79%	81%	84%	82%	80%	85%	81%	79%
	Meningococcal C	85%	85%	83%	82%	83%	86%	85%	83%	87%	82%	81%
	Rotavirus	n/a	n/a	n/a	67%	68%	72%	76%	77%	78%	65%	81%
	No immunizations recorded	n/a	n/a	n/a	n/a	6%	6%	7%	7%	6%	9%	9%
	Refusal to all	n/a	n/a	n/a	n/a	2%	2%	3%	2%	1%	2%	3%
North	Up-to-date for age	70%	66%	69%	69%	70%	75%	73%	73%	75%	72%	73%
Vancouver	Up-to-date minus the booster	79%	75%	78%	78%	79%	84%	82%	80%	84%	81%	81%
Island	Specific Agents											
NVI	DTaP-IPV	76%	73%	75%	74%	75%	78%	77%	77%	79%	74%	75%
	DTaP-IPV-Hib	76%	73%	75%	74%	75%	78%	76%	77%	79%	74%	75%

LICD A	Manada at an Batalla						Year					
HSDA	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
	Hepatitis B	85%	83%	85%	85%	83%	89%	87%	85%	87%	84%	87%
	Hib	80%	78%	79%	79%	80%	80%	81%	83%	85%	77%	79%
	MMR	76%	85%	87%	86%	87%	90%	88%	87%	90%	87%	85%
	Polio	79%	77%	78%	77%	79%	81%	79%	81%	82%	77%	77%
	Varicella	83%	81%	83%	82%	84%	87%	86%	85%	87%	84%	84%
	Pneumococcal conjugate	85%	83%	85%	85%	85%	88%	87%	85%	87%	84%	84%
	Meningococcal C	88%	85%	86%	86%	87%	89%	88%	87%	89%	86%	85%
	Rotavirus	n/a	n/a	n/a	68%	70%	76%	81%	80%	79%	67%	83%
	No immunizations recorded	n/a	n/a	n/a	n/a	7%	5%	5%	6%	6%	8%	8%
	Refusal to all	n/a	n/a	n/a	n/a	1%	1%	1%	1%	1%	1%	1%

Provincial Health Services Authority

Northern Health

Table 6. Percent of two-year-olds with up-to-date immunizations by Health Service Delivery Area, Northern Health^d

							Year					
HSDA	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
Northwest	Up-to-date for age	62%	68%	60%	56%	56%	58%	57%	57%	61%	62%	62%
NW	Up-to-date minus the booster	75%	78%	74%	71%	65%	67%	67%	68%	73%	75%	73%
	Specific Agents											
	DTaP-IPV	71%	75%	67%	62%	62%	64%	61%	63%	64%	65%	65%
	DTaP-IPV-Hib	71%	75%	67%	62%	62%	64%	61%	63%	64%	65%	65%
	Hepatitis B	84%	86%	86%	80%	75%	77%	74%	79%	75%	79%	81%
	Hib	76%	79%	72%	68%	66%	66%	67%	68%	74%	69%	71%
	MMR	72%	88%	85%	82%	76%	76%	75%	76%	81%	79%	79%
	Polio	74%	78%	71%	67%	66%	67%	64%	66%	70%	68%	68%
	Varicella	82%	84%	79%	79%	73%	73%	72%	74%	79%	77%	76%
	Pneumococcal conjugate	85%	86%	84%	78%	72%	73%	73%	74%	73%	76%	76%
	Meningococcal C	88%	88%	86%	82%	76%	76%	75%	77%	80%	78%	78%
	Rotavirus	n/a	n/a	n/a	66%	66%	72%	69%	76%	72%	66%	77%
	No immunizations recorded	n/a	n/a	n/a	n/a	11%	10%	13%	10%	8%	12%	10%
	Refusal to all	n/a	n/a	n/a	n/a	1%	1%	1%	1%	0%	0%	0%
Northern	Up-to-date for age	77%	77%	76%	75%	72%	71%	71%	68%	65%	74%	72%
Interior	Up-to-date minus the booster	85%	82%	83%	84%	79%	78%	79%	76%	76%	83%	81%
NI	Specific Agents											
	DTaP-IPV	83%	84%	79%	79%	78%	77%	77%	72%	68%	76%	74%
	DTaP-IPV-Hib	83%	83%	79%	79%	78%	76%	77%	72%	68%	76%	74%
	Hepatitis B	92%	91%	91%	90%	89%	85%	87%	86%	77%	85%	86%
	Hib	86%	85%	81%	81%	81%	78%	80%	75%	77%	80%	77%
	MMR	82%	91%	89%	90%	88%	87%	86%	82%	81%	87%	85%
	Polio	85%	85%	81%	81%	80%	79%	79%	73%	72%	79%	76%
	Varicella	88%	85%	86%	87%	85%	84%	83%	81%	79%	86%	84%
	Pneumococcal conjugate	92%	90%	88%	89%	85%	85%	84%	80%	74%	83%	83%
	Meningococcal C	93%	90%	89%	90%	88%	87%	86%	82%	80%	87%	85%
	Rotavirus	n/a	n/a	n/a	80%	77%	78%	82%	85%	75%	74%	85%
	No immunizations recorded	n/a	n/a	n/a	n/a	4%	5%	6%	5%	8%	7%	8%
	Refusal to all	n/a	n/a	n/a	n/a	1%	1%	2%	1%	0%	0%	0%
Northeast	Up-to-date for age	63%	67%	63%	57%	60%	55%	57%	61%	56%	62%	58%
	Up-to-date minus the booster	72%	74%	71%	66%	69%	62%	66%	69%	70%	73%	68%

UCDA	Variantina Batalla						Year					
HSDA	Vaccination Details	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021
NE	Specific Agents											
	DTaP-IPV	70%	72%	69%	64%	66%	62%	62%	66%	60%	66%	61%
	DTaP-IPV-Hib	70%	72%	69%	63%	66%	62%	62%	66%	60%	66%	61%
	Hepatitis B	81%	84%	81%	78%	79%	74%	74%	79%	71%	76%	76%
	Hib	72%	76%	72%	68%	70%	63%	65%	71%	70%	68%	64%
	MMR	70%	82%	80%	76%	78%	73%	72%	77%	77%	76%	73%
	Polio	71%	74%	71%	66%	69%	65%	64%	69%	67%	67%	63%
	Varicella	76%	78%	74%	71%	74%	69%	70%	74%	75%	75%	71%
	Pneumococcal conjugate	80%	80%	79%	74%	75%	70%	71%	75%	69%	74%	72%
	Meningococcal C	81%	82%	80%	76%	78%	73%	73%	77%	77%	75%	73%
	Rotavirus	n/a	n/a	n/a	63%	64%	62%	70%	73%	64%	61%	73%
	No immunizations recorded	n/a	n/a	n/a	n/a	11%	14%	15%	12%	14%	15%	16%
	Refusal to all	n/a	n/a	n/a	n/a	3%	3%	3%	1%	1%	0%	0%

Diphtheria, Tetanus, Pertussis and Polio (DTaP-IPV)

Two-year-olds immunized up-to-date, DTaP-IPV, British Columbia






Figure 4. Percent of two-year-olds immunized up-to-date, DTaP-IPV, British Columbia




Figure 5. Reasons for non-immunization by Health Service Delivery Area, DTaP, British Columbia, 2021

Table 7. Reasons for non-immunization, DTaP, British Columbia, 2021

				Cor	unt			
Region	Population		Partially Immunize	d	Unimmunized			
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e	
British Columbia - excluding VCH	35,564	66	1	6,456	248	0	2,846	
Interior Health	6,730	32	0	1,139	109	0	589	
East Kootenay	767	15	0	87	24	0	39	
Kootenay Boundary	612	4	0	139	11	0	83	
Okanagan	3,241	5	0	502	36	0	334	
Thompson Cariboo Shuswap	2,110	8	0	411	38	0	133	
Fraser Health ^f	19,097	2	0	3,506	19	0	1,529	
Fraser East	3,528	1	0	770	16	0	277	
Fraser North	6,452	1	0	1,130	1	0	584	
Fraser South	9,117	0	0	1,606	2	0	668	
Island Health	6,449	32	0	1,103	119	0	382	
South Vancouver Island	3,189	5	0	417	33	0	199	
Central Vancouver Island	2,211	24	0	507	64	0	125	
North Vancouver Island	1,049	3	0	179	22	0	58	
Northern Health ^f	3,288	0	1	708	1	0	346	
Northwest	836	0	0	213	0	0	82	
Northern Interior	1,488	0	0	269	0	0	113	
Northeast	964	0	1	226	1	0	151	

^e Unknown includes all children who are partially immunized or unimmunized who do not have a documented refusal or contraindication. See Notes.

^f PIR does not contain complete supplementary information on reasons for non-immunization for FH or NH. See <u>Notes.</u>

Provincial Health Services Authority

Table 7 (continued).

			Percent									
Region	Population		Partially Immunize	d	Unimmunized							
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e					
British Columbia - excluding VCH	35,564	0%	0%	18%	1%	0%	8%					
Interior Health	6,730	0%	0%	17%	2%	0%	9%					
East Kootenay	767	2%	0%	11%	3%	0%	5%					
Kootenay Boundary	612	1%	0%	23%	2%	0%	14%					
Okanagan	3,241	0%	0%	16%	1%	0%	10%					
Thompson Cariboo Shuswap	2,110	0%	0%	20%	2%	0%	6%					
Fraser Health ^f	19,097	0%	0%	18%	0%	0%	8%					
Fraser East	3,528	0%	0%	22%	0%	0%	8%					
Fraser North	6,452	0%	0%	18%	0%	0%	9%					
Fraser South	9,117	0%	0%	18%	0%	0%	7%					
Island Health	6,449	0%	0%	17%	2%	0%	6%					
South Vancouver Island	3,189	0%	0%	13%	1%	0%	6%					
Central Vancouver Island	2,211	1%	0%	23%	3%	0%	6%					
North Vancouver Island	1,049	0%	0%	17%	2%	0%	6%					
Northern Health ^f	3,288	0%	0%	22%	0%	0%	11%					
Northwest	836	0%	0%	26%	0%	0%	10%					
Northern Interior	1,488	0%	0%	18%	0%	0%	8%					
Northeast	964	0%	0%	23%	0%	0%	16%					

Diphtheria, Tetanus, Pertussis, Polio, Haemophilus influenzae type b (DTaP-IPV-Hib)

Two-year-olds immunized up-to-date, DTaP-IPV-Hib, British Columbia







Figure 6. Percent of two-year-olds immunized up-to-date, DTaP-IPV-Hib, British Columbia

Haemophilus influenzae type b (Hib)








Figure 7. Percent of two-year-olds immunized up-to-date, Hib, British Columbia




Figure 8. Reasons for non-immunization by Health Service Delivery Area, Hib, British Columbia, 2021

Table 8. Reasons for non-immunization, Hib, British Columbia, 2021

		Count									
Region	Population		Partially Immunize	d	Unimmunized						
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e				
British Columbia - excluding VCH	35,564	43	1	5,301	246	0	2,853				
Interior Health	6,730	21	0	971	109	0	588				
East Kootenay	767	10	0	69	24	0	39				
Kootenay Boundary	612	1	0	107	11	0	84				
Okanagan	3,241	3	0	441	36	0	333				
Thompson Cariboo Shuswap	2,110	7	0	354	38	0	132				
Fraser Health ^f	19,097	0	0	2,831	20	0	1,537				
Fraser East	3,528	0	0	619	17	0	275				
Fraser North	6,452	0	0	931	1	0	587				
Fraser South	9,117	0	0	1,281	2	0	675				
Island Health	6,449	22	0	918	116	0	385				
South Vancouver Island	3,189	3	0	357	31	0	201				
Central Vancouver Island	2,211	17	0	418	63	0	126				
North Vancouver Island	1,049	2	0	143	22	0	58				
Northern Health ^f	3,288	0	1	581	1	0	343				
Northwest	836	0	0	163	0	0	80				
Northern Interior	1,488	0	0	228	0	0	112				
Northeast	964	0	1	190	1	0	151				

Provincial Health Services Authority

Table 8 (continued).

		Percent									
Region	Population		Partially Immunized	1	Unimmunized						
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e				
British Columbia - excluding VCH	35,564	0%	0%	15%	1%	0%	8%				
Interior Health	6,730	0%	0%	14%	2%	0%	9%				
East Kootenay	767	1%	0%	9%	3%	0%	5%				
Kootenay Boundary	612	0%	0%	18%	2%	0%	14%				
Okanagan	3,241	0%	0%	14%	1%	0%	10%				
Thompson Cariboo Shuswap	2,110	0%	0%	17%	2%	0%	6%				
Fraser Health ^f	19,097	0%	0%	15%	0%	0%	8%				
Fraser East	3,528	0%	0%	18%	0%	0%	8%				
Fraser North	6,452	0%	0%	14%	0%	0%	9%				
Fraser South	9,117	0%	0%	14%	0%	0%	7%				
Island Health	6,449	0%	0%	14%	2%	0%	6%				
South Vancouver Island	3,189	0%	0%	11%	1%	0%	6%				
Central Vancouver Island	2,211	1%	0%	19%	3%	0%	6%				
North Vancouver Island	1,049	0%	0%	14%	2%	0%	6%				
Northern Health ^f	3,288	0%	0%	18%	0%	0%	10%				
Northwest	836	0%	0%	20%	0%	0%	10%				
Northern Interior	1,488	0%	0%	15%	0%	0%	8%				
Northeast	964	0%	0%	20%	0%	0%	16%				

Hepatitis B

Two-year-olds immunized up-to-date, Hepatitis B, British Columbia






Figure 9. Percent of two-year-olds immunized up-to-date, Hepatitis B, British Columbia




Figure 10. Reasons for non-immunization by Health Service Delivery Area, Hepatitis B, British Columbia, 2021

Table 9. Reasons for non-immunization, Hepatitis B, British Columbia, 2021

				Co	unt			
Region	Population		Partially Immunize	d	Unimmunized			
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e	
British Columbia - excluding VCH	35,564	36	0	2,133	295	0	3,020	
Interior Health	6,730	14	0	262	125	0	627	
East Kootenay	767	3	0	17	29	0	44	
Kootenay Boundary	612	4	0	28	17	0	86	
Okanagan	3,241	1	0	127	38	0	357	
Thompson Cariboo Shuswap	2,110	6	0	90	41	0	140	
Fraser Health ^f	19,097	3	0	1,332	22	0	1,613	
Fraser East	3,528	1	0	254	19	0	289	
Fraser North	6,452	1	0	442	1	0	612	
Fraser South	9,117	1	0	636	2	0	712	
Island Health	6,449	19	0	304	147	0	420	
South Vancouver Island	3,189	2	0	110	43	0	217	
Central Vancouver Island	2,211	17	0	142	75	0	143	
North Vancouver Island	1,049	0	0	52	29	0	60	
Northern Health ^f	3,288	0	0	235	1	0	360	
Northwest	836	0	0	74	0	0	86	
Northern Interior	1,488	0	0	92	0	0	116	
Northeast	964	0	0	69	1	0	158	

Provincial Health Services Authority

Table 9 (continued).

		Percent								
Region	Population		Partially Immunize	d	Unimmunized					
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e			
British Columbia - excluding VCH	35,564	0%	0%	6%	1%	0%	8%			
Interior Health	6,730	0%	0%	4%	2%	0%	9%			
East Kootenay	767	0%	0%	2%	4%	0%	6%			
Kootenay Boundary	612	1%	0%	5%	3%	0%	14%			
Okanagan	3,241	0%	0%	4%	1%	0%	11%			
Thompson Cariboo Shuswap	2,110	0%	0%	4%	2%	0%	7%			
Fraser Health ^f	19,097	0%	0%	7%	0%	0%	8%			
Fraser East	3,528	0%	0%	7%	0%	0%	8%			
Fraser North	6,452	0%	0%	7%	0%	0%	10%			
Fraser South	9,117	0%	0%	7%	0%	0%	8%			
Island Health	6,449	0%	0%	5%	2%	0%	7%			
South Vancouver Island	3,189	0%	0%	3%	1%	0%	7%			
Central Vancouver Island	2,211	1%	0%	6%	3%	0%	6%			
North Vancouver Island	1,049	0%	0%	5%	3%	0%	6%			
Northern Health ^f	3,288	0%	0%	7%	0%	0%	11%			
Northwest	836	0%	0%	9%	0%	0%	10%			
Northern Interior	1,488	0%	0%	6%	0%	0%	8%			
Northeast	964	0%	0%	7%	0%	0%	16%			

Measles, Mumps, and Rubella (MMR)^b

Two-year-olds immunized up-to-date, MMR, British Columbia






Figure 11. Percent of two-year-olds immunized up-to-date, MMR, British Columbia





Figure 12. Reasons for non-immunization by Health Service Delivery Area, MMR, British Columbia, 2021

Table 10. Reasons for non-immunization, MMR, British Columbia, 2021

			Count		Percent			
Region	Population		Unimmunized		Unimmunized			
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e	
British Columbia - excluding VCH	35,564	258	1	5,636	1%	0%	16%	
Interior Health	6,730	113	0	1,096	2%	0%	16%	
East Kootenay	767	36	0	60	5%	0%	8%	
Kootenay Boundary	612	9	0	146	2%	0%	24%	
Okanagan	3,241	29	0	592	1%	0%	18%	
Thompson Cariboo Shuswap	2,110	39	0	298	2%	0%	14%	
Fraser Health ^f	19,097	25	0	3,014	0%	0%	16%	
Fraser East	3,528	19	0	612	0%	0%	17%	
Fraser North	6,452	1	0	1,079	0%	0%	17%	
Fraser South	9,117	5	0	1,323	0%	0%	14%	
Island Health	6,449	119	1	862	2%	0%	13%	
South Vancouver Island	3,189	27	1	375	1%	0%	12%	
Central Vancouver Island	2,211	75	0	347	3%	0%	16%	
North Vancouver Island	1,049	17	0	140	2%	0%	13%	
Northern Health ^f	3,288	1	0	664	0%	0%	20%	
Northwest	836	0	0	180	0%	0%	22%	
Northern Interior	1,488	0	0	225	0%	0%	15%	
Northeast	964	1	0	259	0%	0%	27%	

Meningococcal C Conjugate

Two-year-olds immunized up-to-date, Meningococcal C, British Columbia






Figure 13. Percent of two-year-olds immunized up-to-date, Meningococcal C, British Columbia




Figure 14. Reasons for non-immunization by Health Service Delivery Area, Meningococcal C, British Columbia, 2021

Table 11. Reasons for non-immunization, Meningococcal C, British Columbia, 2021

		Count						
Region	Population		Partially Immuniz	ed	Unimmunized			
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e	
British Columbia - excluding VCH	35,564	36	0	2,507	283	0	3,165	
Interior Health	6,730	18	0	435	118	0	636	
East Kootenay	767	8	0	21	29	0	44	
Kootenay Boundary	612	1	0	49	13	0	91	
Okanagan	3,241	2	0	218	36	0	353	
Thompson Cariboo Shuswap	2,110	7	0	147	40	0	148	
Fraser Health ^f	19,097	1	0	1,368	23	0	1,719	
Fraser East	3,528	0	0	319	19	0	298	
Fraser North	6,452	0	0	451	1	0	675	
Fraser South	9,117	1	0	598	3	0	746	
Island Health	6,449	17	0	413	141	0	428	
South Vancouver Island	3,189	2	0	144	40	0	225	
Central Vancouver Island	2,211	12	0	199	75	0	139	
North Vancouver Island	1,049	3	0	70	26	0	64	
Northern Health ^f	3,288	0	0	291	1	0	382	
Northwest	836	0	0	96	0	0	90	
Northern Interior	1,488	0	0	101	0	0	128	
Northeast	964	0	0	94	1	0	164	

Table 11 (continued).

		Percent						
Region	Population		Partially Immunize	d		Unimmunized		
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e	
British Columbia - excluding VCH	35,564	0%	0%	7%	1%	0%	9%	
Interior Health	6,730	0%	0%	6%	2%	0%	9%	
East Kootenay	767	1%	0%	3%	4%	0%	6%	
Kootenay Boundary	612	0%	0%	8%	2%	0%	15%	
Okanagan	3,241	0%	0%	7%	1%	0%	11%	
Thompson Cariboo Shuswap	2,110	0%	0%	7%	2%	0%	7%	
Fraser Health ^f	19,097	0%	0%	7%	0%	0%	9%	
Fraser East	3,528	0%	0%	9%	0%	0%	8%	
Fraser North	6,452	0%	0%	7%	0%	0%	10%	
Fraser South	9,117	0%	0%	7%	0%	0%	8%	
Island Health	6,449	0%	0%	6%	2%	0%	7%	
South Vancouver Island	3,189	0%	0%	4%	1%	0%	7%	
Central Vancouver Island	2,211	0%	0%	9%	3%	0%	6%	
North Vancouver Island	1,049	0%	0%	7%	2%	0%	6%	
Northern Health ^f	3,288	0%	0%	9%	0%	0%	12%	
Northwest	836	0%	0%	12%	0%	0%	11%	
Northern Interior	1,488	0%	0%	7%	0%	0%	9%	
Northeast	964	0%	0%	10%	0%	0%	17%	

Polio








Figure 15. Percent of two-year-olds immunized up-to-date, Polio, British Columbia




Figure 16. Reasons for non-immunization by Health Service Delivery Area, Polio, British Columbia, 2021

Table 12. Reasons for non-immunization, Polio, British Columbia, 2021


		Count							
Region	Population		Partially Immunized	l		Unimmunized			
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e		
British Columbia - excluding VCH	35,564	62	1	5,731	248	0	2,847		
Interior Health	6,730	29	0	1,034	109	0	588		
East Kootenay	767	13	0	80	24	0	39		
Kootenay Boundary	612	4	0	128	11	0	83		
Okanagan	3,241	4	0	455	36	0	335		
Thompson Cariboo Shuswap	2,110	8	0	371	38	0	131		
Fraser Health ^f	19,097	2	0	3,063	20	0	1,533		
Fraser East	3,528	1	0	661	17	0	278		
Fraser North	6,452	1	0	1,000	1	0	586		
Fraser South	9,117	0	0	1,402	2	0	669		
Island Health	6,449	31	0	993	118	0	383		
South Vancouver Island	3,189	4	0	383	33	0	200		
Central Vancouver Island	2,211	24	0	456	63	0	125		
North Vancouver Island	1,049	3	0	154	22	0	58		
Northern Health ^f	3,288	0	1	641	1	0	343		
Northwest	836	0	0	191	0	0	81		
Northern Interior	1,488	0	0	242	0	0	111		
Northeast	964	0	1	208	1	0	151		

Table 12 (continued).

		Percent						
Region	Population		Partially Immunize	d		Unimmunized		
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	## Unknown ## 8% 9% 5% 14% 10% 6% 8% 8% 9% 7% 6%	
British Columbia - excluding VCH	35,564	0%	0%	16%	1%	0%	8%	
Interior Health	6,730	0%	0%	15%	2%	0%	9%	
East Kootenay	767	2%	0%	10%	3%	0%	5%	
Kootenay Boundary	612	1%	0%	21%	2%	0%	14%	
Okanagan	3,241	0%	0%	14%	1%	0%	10%	
Thompson Cariboo Shuswap	2,110	0%	0%	18%	2%	0%	6%	
Fraser Health ^f	19,097	0%	0%	16%	0%	0%	8%	
Fraser East	3,528	0%	0%	19%	0%	0%	8%	
Fraser North	6,452	0%	0%	16%	0%	0%	9%	
Fraser South	9,117	0%	0%	15%	0%	0%	7%	
Island Health	6,449	0%	0%	15%	2%	0%	6%	
South Vancouver Island	3,189	0%	0%	12%	1%	0%	6%	
Central Vancouver Island	2,211	1%	0%	21%	3%	0%	6%	
North Vancouver Island	1,049	0%	0%	15%	2%	0%	6%	
Northern Health ^f	3,288	0%	0%	20%	0%	0%	10%	
Northwest	836	0%	0%	23%	0%	0%	10%	
Northern Interior	1,488	0%	0%	16%	0%	0%	8%	
Northeast	964	0%	0%	22%	0%	0%	16%	

Pneumococcal Conjugate

Two-year-olds immunized up-to-date, Pneumococcal Conjugate, British Columbia






Figure 17. Percent of two-year-olds immunized up-to-date, Pneumococcal Conjugate, British Columbia




Figure 18. Reasons for non-immunization by Health Service Delivery Area, Pneumococcal Conjugate, British Columbia, 2021

Table 13. Reasons for non-immunization, Pneumococcal Conjugate, British Columbia, 2021

		Count							
Region	Population	Population Partially Immunized				Unimmunized			
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e		
British Columbia - excluding VCH	35,564	49	0	3,072	276	0	2,992		
Interior Health	6,730	24	0	493	117	0	611		
East Kootenay	767	8	0	24	29	0	44		
Kootenay Boundary	612	4	0	61	12	0	86		
Okanagan	3,241	4	0	250	37	0	337		
Thompson Cariboo Shuswap	2,110	8	0	158	39	0	144		
Fraser Health ^f	19,097	3	0	1,750	21	0	1,600		
Fraser East	3,528	1	0	369	18	0	285		
Fraser North	6,452	1	0	595	1	0	613		
Fraser South	9,117	1	0	786	2	0	702		
Island Health	6,449	22	0	481	137	0	405		
South Vancouver Island	3,189	4	0	168	35	0	213		
Central Vancouver Island	2,211	15	0	233	76	0	131		
North Vancouver Island	1,049	3	0	80	26	0	61		
Northern Health ^f	3,288	0	0	348	1	0	376		
Northwest	836	0	0	112	0	0	86		
Northern Interior	1,488	0	0	126	0	0	128		
Northeast	964	0	0	110	1	0	162		

Provincial Health Services Authority

Table 13 (continued).

		Percent						
Region	Population		Partially Immunize	d	Unimmunized			
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e 0% 89 0% 99 0% 69 0% 149 0% 79 0% 89	
British Columbia - excluding VCH	35,564	0%	0%	9%	1%	0%	8%	
Interior Health	6,730	0%	0%	7%	2%	0%	9%	
East Kootenay	767	1%	0%	3%	4%	0%	6%	
Kootenay Boundary	612	1%	0%	10%	2%	0%	14%	
Okanagan	3,241	0%	0%	8%	1%	0%	10%	
Thompson Cariboo Shuswap	2,110	0%	0%	8%	2%	0%	7%	
Fraser Health ^f	19,097	0%	0%	9%	0%	0%	8%	
Fraser East	3,528	0%	0%	10%	0%	0%	8%	
Fraser North	6,452	0%	0%	9%	0%	0%	10%	
Fraser South	9,117	0%	0%	9%	0%	0%	8%	
Island Health	6,449	0%	0%	7%	2%	0%	6%	
South Vancouver Island	3,189	0%	0%	5%	1%	0%	7%	
Central Vancouver Island	2,211	1%	0%	10%	3%	0%	6%	
North Vancouver Island	1,049	0%	0%	8%	2%	0%	6%	
Northern Health ^f	3,288	0%	0%	11%	0%	0%	11%	
Northwest	836	0%	0%	13%	0%	0%	10%	
Northern Interior	1,488	0%	0%	8%	0%	0%	9%	
Northeast	964	0%	0%	11%	0%	0%	17%	

Rotavirus^c

Two-year-olds up-to-date, Rotavirus, British Columbia






Figure 19. Percent of two-year-olds immunized up-to-date, Rotavirus, British Columbia




Figure 20. Reasons for non-immunization by Health Service Delivery Area, Rotavirus, British Columbia, 2021

Table 14. Reasons for non-immunization, Rotavirus, British Columbia, 2021

		Count						
Region	Population		Partially Immunize	d	Unimmunized			
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e	
British Columbia – excluding VCH	35,564	63	8	1,028	512	15	4,103	
Interior Health	6,730	20	1	129	218	9	842	
East Kootenay	767	3	0	7	30	0	76	
Kootenay Boundary	612	3	0	9	38	1	129	
Okanagan	3,241	11	1	64	82	7	427	
Thompson Cariboo Shuswap	2,110	3	0	49	68	1	210	
Fraser Health ^f	19,097	9	4	593	66	3	2,128	
Fraser East	3,528	5	0	117	38	1	460	
Fraser North	6,452	3	2	189	11	1	754	
Fraser South	9,117	1	2	287	17	1	914	
Island Health	6,449	34	3	169	223	3	607	
South Vancouver Island	3,189	15	2	41	75	2	301	
Central Vancouver Island	2,211	17	0	93	118	0	201	
North Vancouver Island	1,049	2	1	35	30	1	105	
Northern Health ^f	3,288	0	0	137	5	0	526	
Northwest	836	0	0	55	2	0	137	
Northern Interior	1,488	0	0	53	1	0	164	
Northeast	964	0	0	29	2	0	225	

Provincial Health Services Authority

Table 14 (continued).

		Percent						
Region	Population		Partially Immunize	ed		Unimmunized		
		Refusal	Contraindication	Unknown ^e	Refusal	Contraindication	Unknown ^e	
British Columbia – excluding VCH	35,564	0%	0%	3%	1%	0%	12%	
Interior Health	6,730	0%	0%	2%	3%	0%	13%	
East Kootenay	767	0%	0%	1%	4%	0%	10%	
Kootenay Boundary	612	0%	0%	2%	6%	0%	21%	
Okanagan	3,241	0%	0%	2%	2%	0%	13%	
Thompson Cariboo Shuswap	2,110	0%	0%	2%	3%	0%	10%	
Fraser Health ^f	19,097	0%	0%	3%	0%	0%	11%	
Fraser East	3,528	0%	0%	3%	1%	0%	13%	
Fraser North	6,452	0%	0%	3%	0%	0%	12%	
Fraser South	9,117	0%	0%	3%	0%	0%	10%	
Island Health	6,449	1%	0%	3%	3%	0%	9%	
South Vancouver Island	3,189	0%	0%	1%	2%	0%	9%	
Central Vancouver Island	2,211	1%	0%	4%	5%	0%	9%	
North Vancouver Island	1,049	0%	0%	3%	3%	0%	10%	
Northern Health ^f	3,288	0%	0%	4%	0%	0%	16%	
Northwest	836	0%	0%	7%	0%	0%	16%	
Northern Interior	1,488	0%	0%	4%	0%	0%	11%	
Northeast	964	0%	0%	3%	0%	0%	23%	

Varicella








Figure 21. Percent of two-year-olds up-to-date, Varicella, British Columbia




Figure 22. Reasons for non-immunization by Health Service Delivery Area, Varicella, British Columbia, 2021

Table 15. Reasons for non-immunization, Varicella, British Columbia, 2021

				Cour	Count					
Region	Population	Immune:	Immune:		Unimmunized					
		Previous Disease	Lab Evidence	Refusal	Contraindication	Unknown ^e				
British Columbia - excluding VCH	35,564	0	1	335	1	5,795				
Interior Health	6,730	0	0	145	0	1,130				
East Kootenay	767	0	0	42	0	69				
Kootenay Boundary	612	0	0	15	0	155				
Okanagan	3,241	0	0	41	0	601				
Thompson Cariboo Shuswap	2,110	0	0	47	0	305				
Fraser Health ^f	19,097	0	0	31	0	3,059				
Fraser East	3,528	0	0	22	0	626				
Fraser North	6,452	0	0	3	0	1,085				
Fraser South	9,117	0	0	6	0	1,348				
Island Health	6,449	0	1	157	1	890				
South Vancouver Island	3,189	0	0	34	1	391				
Central Vancouver Island	2,211	0	1	99	0	354				
North Vancouver Island	1,049	0	0	24	0	145				
Northern Health ^f	3,288	0	0	2	0	716				
Northwest	836	0	0	0	0	200				
Northern Interior	1,488	0	0	1	0	236				
Northeast	964	0	0	1	0	280				

Provincial Health Services Authority

Table 15 (continued).

				Perc	ent	
Region	Population	Immune:	Immune:		Unimmunized	
		Previous Disease	Lab Evidence	Refusal	Contraindication	Unknown ^e 16% 17% 9% 25% 18% 14% 16% 18% 17% 15% 14% 12% 16% 14%
British Columbia - excluding VCH	35,564	0%	0%	1%	0%	16%
Interior Health	6,730	0%	0%	2%	0%	17%
East Kootenay	767	0%	0%	6%	0%	9%
Kootenay Boundary	612	0%	0%	2%	0%	25%
Okanagan	3,241	0%	0%	1%	0%	18%
Thompson Cariboo Shuswap	2,110	0%	0%	2%	0%	14%
Fraser Health ^f	19,097	0%	0%	0%	0%	16%
Fraser East	3,528	0%	0%	1%	0%	18%
Fraser North	6,452	0%	0%	0%	0%	17%
Fraser South	9,117	0%	0%	0%	0%	15%
Island Health	6,449	0%	0%	2%	0%	14%
South Vancouver Island	3,189	0%	0%	1%	0%	12%
Central Vancouver Island	2,211	0%	0%	4%	0%	16%
North Vancouver Island	1,049	0%	0%	2%	0%	14%
Northern Health ^f	3,288	0%	0%	0%	0%	22%
Northwest	836	0%	0%	0%	0%	24%
Northern Interior	1,488	0%	0%	0%	0%	16%
Northeast	964	0%	0%	0%	0%	29%

Data Sources

Coverage estimates are based on immunization and client records in the Provincial Immunization Registry (PIR) (2013 onward) or Integrated Public Health Information System (iPHIS) (2011-2012). Coverage presented in this report is based on reporting in PIR to January 15, 2022.

All doses are recorded in PIR if administered by public health, reported by a parent/guardian to public health (e.g., for children arriving from outside of BC), or if reported by a primary care provider to public health. Additionally, doses administered by pharmacists and entered in PharmaNet are also recorded in PIR.

Up-to-date for age definitions

Estimates reported for any given year reflect coverage among children who turned two years old during that calendar year (e.g., 2021 results are for children born in 2019). Only doses given prior to the second birthday are included in this assessment.

Numerators: Number of children with active records in PIR who turned two in the year reported and are up-to-date for the specified agent(s) by age two in Interior Health, Island Health, Fraser Health, and Northern Health

Denominators: Number of children with active records in PIR who turned two in the year reported in Interior Health, Island Health, Fraser Health, and Northern Health

Measure	Definition
Up to date for age (UTD) ^g	Meets the up-to-date definitions for DTaP-IPV-Hib, hepatitis B, meningococcal C, MMR, pneumococcal conjugate, and varicella outlined below.
Up-to-date for age minus booster (UTD-MB)	Meets the up-to-date definitions for hepatitis B, meningococcal C, MMR, pneumococcal conjugate, and varicella outlined below; 3 doses diphtheria/tetanus/pertussis, 2 doses polio, at least 1 dose of <i>Haemophilus influenzae</i> type b
DTaP-IPV	4 doses diphtheria/tetanus/pertussis, 3 doses polio
DTaP-IPV-Hib	4 doses diphtheria/tetanus/pertussis, 3 doses polio, up-to-date for <i>Haemophilus influenzae</i> type b as defined below
Haemophilus influenzae type b (Hib) ^h	If dose 1 before 15 months of age: at least 2 doses of Hib vaccine with last dose on or after 12 months of age.
	If dose 1 on or after 15 months of age: 1 dose of Hib vaccine.
Hepatitis B	3 doses hepatitis B vaccine with 3rd dose on or after 24 weeks of age
Meningococcal C	At least 1 dose of meningococcal C conjugate on or after 12 months of age.
	For children who receive quadrivalent meningococcal conjugate vaccine, 1-2 doses on or after 12 months of age depending on age at first dose.
MMR	1 dose measles/mumps/rubella (2 doses prior to 2012)
Pneumococcal conjugate	If dose 1 before 12 months of age: 3 doses pneumococcal conjugate with 3 rd dose on or after 12 months of age.
	If dose 1 between 12 and 23 months of age: 2 doses pneumococcal conjugate
Polio	3 doses polio

^g Rotavirus is excluded from UTD definition as the last dose must be administered by 8 months plus 0 days of age, therefore there is no opportunity for catchup after this age.

^h Starting in the 2015 report, a Hib booster dose is considered valid when given as early as 12 months of age. See Notes.

Provincial Health Services Authority

Rotavirus ⁱ	2 doses of rotavirus vaccine
Varicella	1 dose of varicella on or after 12 months of age or recorded exemption for varicella due to previous disease or protective antibody levels.
	The evidence required to be recorded as having a previous history of varicella disease or shingles has changed over time. Beginning in December 2013, a varicella susceptible person was defined as having no history of varicella disease or shingles after 1 year of age and no history of age-appropriate varicella vaccination. A self-reported history of disease was adequate for those born before 2004, while a health care provider diagnosed history was required for those born in 2004 or later. Since June 2018, a varicella susceptible person is defined as one without a history of lab confirmed varicella or shingles after 1 year of age and without a history of age-appropriate varicella vaccination. As such, the current definition requires lab evidence of prior disease on or after 1 year of age for proof of immunity. The date of varicella disease onset is not systematically entered into PIR therefore, for the purposes of this assessment, any child with a past history of varicella disease recorded in PIR is considered protected, regardless of their age at the time of illness.
No immunizations recorded	No record of doses administered prior to two years of age for all of the following antigens: diphtheria/tetanus/pertussis, <i>Haemophilus influenzae</i> type b, hepatitis B, measles, meningococcal C, mumps, pneumococcal conjugate, polio, rotavirus, rubella, and varicella.
Refusal to all	Documented refusals to all of the following antigens: diphtheria/tetanus/pertussis, Haemophilus influenzae type b, hepatitis B, measles, meningococcal C, mumps, pneumococcal conjugate, polio, rotavirus, rubella, and varicella. Refusals effective any time on or before the 2 nd birthday are counted, regardless of a documented end date. As of 2018, only children with documented refusals and no immunizations recorded are counted.

All analyses were conducted using business rules which calculated ages and time intervals at receipt of immunization. Each dose was counted as a valid dose only if given at or after the earliest eligible age, or at a time interval equal to or greater than the shortest recommended interval. See <u>Minimum Ages and Intervals Between Doses</u>.

¹ 3 doses were required for the 2018 birth cohort (2020 report). See <u>Notes</u>.

Reasons for non-immunization definitions

Measure	Definition
Exemption: Lab Evidence of Immunity	For varicella only. Does not meet criteria for Up-to-Date AND Type of Special Consideration = Exemption AND Reason for Special Consideration = Immunity - Lab Evidence AND Special Consideration Effective From Date <= Milestone Date ^j AND Special Consideration Effective To Date > Milestone Date ^j OR <blank></blank>
Exemption: Previous Disease (varicella)	For varicella only Does not meet any of the previous definitions AND Type of Special Consideration = Exemption AND Reason for Special Consideration = Immunity - Previous Disease AND Special Consideration Effective From Date <= Milestone Date ^j AND Special Consideration Effective To Date > Milestone Date ^j OR <blank></blank>
Partially Immunized with Contraindication	For agents/antigens requiring more than one dose. Does not meet any of the previous definitions AND Received at least one valid dose of the agent/antigen of interest AND Type of Special Consideration = Contraindication AND Reason for Special Consideration is valid for the agent/antigen of interest AND Special Consideration Effective From Date <= Milestone Date ^j AND Special Consideration Effective To Date > Milestone Date ^j OR <blank></blank>
Partially Immunized with Refusal	For agents/antigens requiring more than one dose. Does not meet any of the previous definitions AND Received at least one valid dose of the agent/antigen of interest AND Type of Special Consideration = Exemption Reason for Special Consideration = Client Refusal OR Parental/Guardian Refusal Special Consideration Effective From Date <= Milestone Date
Partially Immunized - Unknown	For agents/antigens requiring more than one dose. Does not meet any of the previous definitions AND Received at least one valid dose of the agent/antigen of interest Note: This category will include children with at least one valid dose of the agent/antigen of interest. These children may have any of the following: invalid doses recorded; invalid refusals, exemptions, or contraindications for the agent/antigen of interest; valid refusals, exemptions, or contraindications that do not apply to agent/antigen of interest; or no recorded refusals, exemptions, or contraindications for any agent/antigen.

Measure	Definition		
Unimmunized with Contraindication	Does not meet any of the previous definitions AND Has no recorded valid doses of the agent/antigen of interest AND Type of Special Consideration = Contraindication AND Reason for Special Consideration is valid for the agent/antigen of interest AND Special Consideration Effective From Date <= Milestone Date OR <blank></blank>		
Unimmunized with Refusal	Does not meet any of the previous definitions AND Has no recorded valid doses of the agent/antigen of interest AND Type of Special Consideration = Exemption Reason for Special Consideration = Client Refusal OR Parental/Guardian Refusal Special Consideration Effective From Date <= Milestone Date		
Unimmunized - Unknown	Does not meet any of the previous definitions AND Has no recorded valid doses of the agent/antigen of interest Note: This category will include children with no recorded valid dose(s) of the agent/antigen of interest. These children may have any of the following: invalid doses recorded; invalid refusals, exemptions, or contraindications for the agent/antigen of interest; valid refusals, exemptions, or contraindications that do not apply to the agent/antigen of interest; or no recorded refusals, exemptions, or contraindications for any agent/antigen.		

Minimum Ages and Intervals Between Doses

Antigen/Agent				
	Dose 1 A	Dose 2	Dose 3	Dose 4
Diphtheria, Tetanus, acellular Pertussis (DTaP)	42 days	28 days	28 days	24 weeks
Polio ^B	42 days	28 days	24 weeks	
Hepatitis B				
received 3rd dose between June 2007 and May 2014	0 days	28 days	56 days ^c	
received 3rd dose in June 2014 or later	0 days	28 days	56 days ^{C,D}	
Measles, Mumps, Rubella	12 months			
Varicella	12 months			
Meningococcal-C Conjugate				
meningococcal-C conjugate vaccine ^E or quadrivalent meningococcal vaccine (Nimenrix®)	12 months			
quadrivalent meningococcal vaccine (Menveo®), initial dose before 12 months of age	8 weeks	8 weeks	8 weeks ^F	
quadrivalent meningococcal vaccine (Menveo®), initial dose on or after 12 months of age	12 months	8 weeks		
Haemophilus influenzae, type b				
initial dose before 15 months of age	42 days	8 weeks ^G		
initial dose on or after 15 months of age	15 months			
Pneumococcal Conjugate				
initial dose before 12 months of age	42 days	28 days	56 days ^F	
initial dose between 12 and 23 months of age	12-23 months	56 days		
Rotavirus	42 days	28 days		

- A. Dose 1 refers to the earliest age a child can receive the initial dose.
- B. Schedule for DTaP should be followed when poliomyelitis provided in combination vaccine.
- C. Dose 3 must be given at least 16 weeks after dose 1 and 8 weeks after dose 2.
- D. Dose 3 must be given on or after 24 weeks of age.
- E. Dose must be given at least 8 weeks after any previous meningococcal C conjugate dose (if previous dose given).
- F. Dose 3 must be given on or after 12 months of age.
- G. The booster dose may be given as early as 12 months of age.

Two-year-olds with Up-to-date Immunizations by Health Authority and Health Service Delivery Area, Vancouver Coastal Health

Health		Year			
Authority / HSDA	Vaccination Details	Children born in 2006	Children born in 2009	Children born in 2012	Children born in 2015
Vancouver	Up-to-date for age	77%	65%	69%	75%
Coastal	Up-to-date minus the booster	78%	72%	70%	77%
Health	Specific Agents				
VCH	DTaP-IPV	87%	80%	81%	84%
	DTaP-IPV-Hib	86%	80%	81%	84%
	Hepatitis B	93%	81%	85%	90%
	Hib	90%	84%	85%	88%
	MMR	87%	78%	93%	95%
	Polio	89%	83%	84%	88%
	Varicella	92%	87%	90%	94%
	Pneumococcal conjugate	88%	86%	88%	97%
	Meningococcal C	93%	89%	90%	94%
	Rotavirus	n/a	n/a	84%	91%
Richmond	Up-to-date for age	85%	71%	72%	76%
RICH	Up-to-date minus the booster	85%	77%	72%	78%
	Specific Agents				
	DTaP-IPV	93%	85%	87%	86%
	DTaP-IPV-Hib	93%	85%	86%	86%
	Hepatitis B	96%	86%	86%	90%
	Hib	95%	89%	89%	89%
	MMR	93%	83%	94%	96%
	Polio	94%	88%	89%	89%
	Varicella	94%	91%	92%	94%
	Pneumococcal conjugate	90%	88%	87%	97%
	Meningococcal C	94%	91%	90%	94%
	Rotavirus	n/a	n/a	88%	94%
Vancouver	Up-to-date for age	69%	63%	72%	76%
VAN	Up-to-date minus the booster	71%	70%	73%	78%
	Specific Agents				
	DTaP-IPV	80%	82%	84%	85%
	DTaP-IPV-Hib	79%	82%	83%	85%
	Hepatitis B	91%	79%	85%	91%
	Hib	85%	86%	86%	90%
	MMR	82%	79%	95%	95%
	Polio	83%	86%	85%	88%
	Varicella	90%	87%	91%	92%
	Pneumococcal conjugate	85%	84%	89%	96%
	Meningococcal C	92%	89%	90%	92%
	Rotavirus	n/a	n/a	85%	90%

Health		Year				
Authority /	Vaccination Details	Children born	Children born	Children born	Children born	
HSDA		in 2006	in 2009	in 2012	in 2015	
North	Up-to-date for age	82%	61%	69%	69%	
Shore	Up-to-date minus the booster	83%	70%	70%	71%	
(Coastal	Specific Agents					
Urban)	DTaP-IPV	92%	76%	80%	83%	
	DTaP-IPV-Hib	92%	76%	80%	82%	
	Hepatitis B	94%	76%	85%	87%	
	Hib	93%	80%	85%	87%	
	MMR	90%	76%	95%	95%	
	Polio	93%	80%	84%	87%	
	Varicella	94%	86%	92%	94%	
	Pneumococcal conjugate	91%	86%	88%	96%	
	Meningococcal C	94%	88%	93%	94%	
	Rotavirus	n/a	n/a	85%	92%	
Coast	Up-to-date for age	79%	65%	64%	78%	
Garibaldi	Up-to-date minus the booster	79%	74%	65%	80%	
(Coastal	Specific Agents					
Rural)	DTaP-IPV	88%	74%	71%	83%	
	DTaP-IPV-Hib	88%	74%	71%	83%	
	Hepatitis B	88%	81%	82%	94%	
	Hib	89%	80%	77%	87%	
	MMR	87%	74%	87%	94%	
	Polio	88%	77%	75%	87%	
	Varicella	87%	83%	84%	93%	
	Pneumococcal conjugate	88%	84%	86%	97%	
	Meningococcal C	90%	86%	88%	95%	
	Rotavirus	n/a	n/a	77%	86%	

Data sources:

Vancouver Coastal Health Authority, Vaccine Evaluation Centre, 2015 Cohort Two-Year-Old Immunization Coverage Survey, Vancouver Coastal Health Authority and Fraser Health Authority, 2012 Cohort Two-Year-Old Immunization Coverage Survey, Vancouver Coastal Health Authority and Fraser Health Authority, 2009 Cohort Two-Year-Old Immunization Coverage Survey. Vancouver Coastal Health and Vaccine Evaluation Centre, 2006 Cohort Two-Year-Old Immunization Coverage Surveys.

Prepared by: Vancouver Coastal Health, Public Health Surveillance Unit, October 2012, September 2015 and February 2022.

2015 coverage rates are based on respondents from a random sample generated by the Ministry of Health. 2009 and 2012 coverage rates are based on a random sample from total surveys completed; and 2006 was based on a random sample generated by Ministry of Health but follow-up was prioritized for those with existing records in iPHIS or PARIS. This may have led to an overestimation of coverage for that birth cohort.

The following VCH coverage definitions differed from those applied for the other health authorities. See <u>Up-to-date for Age Definitions</u> for further information on the provincial coverage rules.

Varicella - 1 dose of varicella on or after 12 months of age.

Haemophilus influenzae – At least 1 dose Haemophilus influenzae type b on or after 15 months of age

Rotavirus – 2 doses of rotavirus where first dose is given on 42 - 139 days of age, and second dose given 28 days after the first dose and on or before 8 months of age.

The remaining up-to-date definitions for the 2015 birth cohort are consistent.

Notes

- 1. VCH provides their early childhood coverage data through a separate mechanism. Two-year-old immunization coverage data for VCH have not been included with provincial data because VCH data (based on periodic surveys of a sample of the population) may not be comparable with population-based immunization data obtained from PIR for the rest of the province. While immunizations provided to infants by public health in VCH are captured in the health authority's electronic information system (called PARIS), the majority of VCH infants are immunized by physicians. BC's public health legislation does not require reporting of immunizations administered physicians to public health; thus, immunizations delivered by physicians are not systematically captured in PARIS. VCH examines early childhood immunization coverage data through periodic coverage studies. Coverage studies have been conducted for the 2003, 2006, 2009, 2012 and 2015 birth cohorts. Due to the pandemic, the next coverage study is planned for the 2020 birth cohort. From 2011 to 2021, VCH represented approximately 21% of two-year-old population in BC (Source: BC Stats Population Estimates and PEOPLE projections). See: Two-year-olds with Up-to-date Immunizations by Health Authority and Health Service Delivery Area, Vancouver Coastal Health.
- 2. Two errors in the code used to analyze two-year-old immunization coverage were identified in the spring of 2023. These errors affected the 2019-2022 reports (2017-2020 birth cohorts). The errors were rectified for the 2021 and 2022 reports but have not been corrected in the 2019 or 2020 reports.
 - a. The term "up-to-date minus booster" (UTDMB) is defined as a child who is up-to-date for all recommended routine immunizations by age two except for the 18-month booster dose of DTaP-IPV-Hib. The code erroneously assessed some children as UTDMB even if they were not up-to-date for non-booster antigens (hepatitis B, meningococcal C, MMR, pneumococcal conjugate, and varicella). However, since most vaccinated children are receiving all recommended vaccines, re-analysis after correcting the error for the 2022 report (2020 birth cohort) found that the UTDMB rate was only 2.4% lower at the provincial level.
 - b. Haemophilus influenzae type b coverage was miscalculated. This vaccine, like pneumococcal conjugate, requires a reduced dose schedule for children previously unvaccinated as they age through the first two years of life. These modifications for delayed commencement, with reduced dosing requirements, were not built into the code and stricter rules based on age at initial dose receipt were applied. Since most children were already considered up-to-date based on receipt of one dose on or after 15 months of age, re-analysis after correcting the error for the 2022 report (2020 birth cohort) found that Hib coverage was 1% higher at the provincial level.
- 3. Due to ongoing development of the interface between the FH and NH information systems and PIR, supplementary information on reasons for non-immunization (i.e., exemptions, refusals, and contraindications) is not complete. Therefore, the proportion of partially immunized and unimmunized children with unknown reasons for non-immunization is likely to be overestimated. The number of children partially immunized or unimmunized due to refusals or contraindications, as well as the number of children with protection against varicella due to previous infection and/or lab evidence of immunity would be underestimated.
- 4. Unknown includes all children who are partially immunized or unimmunized who do not have a documented refusal or contraindication, based on information in the immunization registry. This includes children who have deferred or inadvertently missed their immunizations, and those who have not had their refusal, contraindication, or immunization doses recorded.

- 5. Rotarix® (2-dose series) was the rotavirus vaccine product routinely given to infants from January 2012 until June 2018 when RotaTeq® (3-dose series) replaced it as the routine infant product. In June 2021, BC switched back to Rotarix® as the routine infant product. Since RotaTeq® requires a 3-dose series, it may have led to reduced coverage for the 2018 birth cohort (2020 report). Starting with the 2019 birth cohort (2021 report) only 2 doses were required to be considered up-to-date for rotavirus, regardless of product given, which likely explains the increase in coverage in 2021. See the History of Immunization in BC.
- 6. In 2019, resources available to early childhood immunization may have been impacted by other public health immunization programs, including the measles catch-up immunization campaign for schoolage children, the implementation of the Vaccination Status Reporting Regulation for school-age children, and the migration of public health information systems in FH. This may have resulted in decreases in two-year-old coverage rates.
- 7. In June-July 2013, several changes to immunization registry systems occurred. First, the health authorities using the iPHIS immunization registry migrated their data to the Panorama immunization registry. Second, NH began using the Community Medical Office Information System (cMOIS) to record immunizations at point of care, with secondary data entry into Panorama. The data source for two-year-old coverage immunization coverage changed to Panorama as of 2013.
 - The decline in coverage in 2013 may be explained by the change in the immunization registry. Due to increased workload involved with the new system, there was decreased clinic availability in some regions, leading to fewer children being immunized. In addition, some regions were unable to run their recall and reminder reports out of the new system, and therefore did not notify all children who were behind on their immunizations prior to their second birthday. In NH, during the initial cMOIS implementation timeliness of data import into Panorama may have been impacted, which might be observed as artificial declines in coverage. Current data transfer between systems is rapid with no expected reporting lag.
- 8. In February 2020, a small number of historical immunization records for NH were added to Panorama. Since only immunizations were added and these children were already included in the population denominator, this may have underestimated coverage rates for certain antigens and overall up-to-date for age for the 2019 report (2017 birth cohort).
- 9. In January 2012, the second dose of MMR vaccine was moved from 18-months to 4-6 years of age (offered as combined MMRV beginning in 2014). The first group of children affected by this change was those born in July 2010, or those receiving their second dose of MMR-containing vaccine in 2012 or later. As a result of this change, MMR coverage for the 2012 report (2010 birth cohort) increased dramatically when compared to previous years. If only one dose of MMR had been required for the 2011 report (2009 birth cohort), MMR coverage would have been 13% higher (89%), the overall percent up-to-date for age would have been 3% higher (71%), and the overall percent up-to-date minus booster would have been 2.6% higher (80%).
- 10. Starting in 2015 (2013 birth cohort), a Hib booster dose is considered valid when given as early as 12 months of age; previously, the minimum age for this dose was 15 months. This change had a very small effect on coverage estimates at the provincial level, this change resulted in an increase of 0.2% in children up-to-date for Hib.
- 11. In each cohort, there is generally a small number of children with PIR records indicating that they lived in BC but did not have a specific health region assigned (i.e., the client health region was missing). These children are excluded from the analysis.
- 12. Prior to 2017, children who received a single dose of quadrivalent meningococcal vaccine on or after 12 months of age were considered up-to-date for meningococcal C conjugate. Starting in the 2017 report (2015 birth cohort), children who receive quadrivalent meningococcal vaccine are only

Provincial Health Services Authority

considered up-to-date for meningococcal C conjugate if they receive 2-3 doses (depending on age at first dose) and if the trade name of those doses is recorded as Menveo[®]. Starting in the 2021 report (2019 birth cohort), children who receive at least one dose of Nimenrix[®] on or after 12 months of age are also considered up-to-date for meningococcal C conjugate.

- 13. Data need to be interpreted with caution for the following reasons:
 - a. To be considered up-to-date for age, documentation of every dose in the provincial immunization registry is required. Some children may have received doses that have not been documented in the immunization registry. All regions make their best efforts to obtain vaccination records pertaining to physician-delivered immunizations. There can be a delay in obtaining these records from physicians, which can result in delay of data entry. Both these issues will artificially lower the rates of vaccine coverage.
 - b. Data completeness with respect to children residing in the Health Authority may vary. Some regions enter all children born in their region into the registry while other regions only enter children that present for service into the system. In addition, First Nations children may not be completely captured in the registry system, as on-reserve birth records and immunizations may not be entered into PIR. In spring 2020, PIR was updated to include all clients from the Ministry of Health (MoH) Client Roster. The population is maintained via regular feeds from MoH's Registration and Premium Information Determination (RAPID) system for new clients eligible for Medical Services Plan (MSP) coverage and Enterprise Master Patient Index (EMPI) for births and deaths. This should provide more complete information on the entire BC population in PIR.
 - c. Client records with no or inadequate immunizations recorded may reflect children who have moved out of the province or died. When public health is not aware of these events, they cannot update the Panorama records to reflect the status of these children. Records reported by provinces with reciprocal agreements with MSP for individuals who have moved out of BC and established health insurance in other Canadian jurisdictions are inactivated through the new RAPID system process outlined above.

Provincial Health Services Authority

Acknowledgements

We acknowledge all BC health authorities in the contribution of information for this report.

Prepared by:

Immunization Programs and Vaccine Preventable Diseases Service
BC Centre for Disease Control, 655 West 12th Avenue, Vancouver, BC Canada V5Z 4R4
vpd.epi@bccdc.ca | Phone: 604-707-2519