

British Columbia Chronic Disease Registries (BCCDR) Case Definitions (Last Update: March 2023)

Population Health Surveillance and Epidemiology Branch

Office of the Provincial Health Officer

British Columbia (BC) Ministry of Health

(Contact: hlth.cdrwg@gov.bc.ca)

DEPRESSION

Case Definition Type: Health Service Contact Prevalence ⊠ Incidence Rate ⊠ Lifetime Prevalence ⊠

Case Definition:

One or more hospitalization with a depression diagnostic code, OR Two or more physician visits with a depression diagnostic code within one year.

Signed-off BC Case Definition: Yes \square - V2021 No \boxtimes

Notes: None

Age Restriction: 1+ years

Data Source(s):

| Data Source | ICD Code/Procedure Code/Rx | ICD Code/Procedure Code Position | Diagnosis Type | Hospital Care Level |
|-----------------|-------------------------------|----------------------------------|--------------------------------------|---------------------|
| Hospital ICD-10 | F32 | First Position Only □ | M-Most Responsible Diagnosis ⊠ | Acute Care ⊠ |
| | F33 | All positions ⊠ | 1-Pre-Admit Comorbidity ⊠ | Rehabilitation ⊠ |
| | | Others 🗆 | 2-Post-Admit Comorbidity ⊠ | Day Surgery ⊠ |
| | | N/A □ | 3-Secondary Diagnosis ⊠ | |
| | | | 4-Morphology Code ⊠ | |
| | | | 5-Admitting Diagnosis ⊠ | |
| | | | 6-Proxy Most Responsible Diagnosis ⊠ | |
| | | | 9-External Cause of Injury Code ⊠ | |
| | | | 0-Newborn ⊠ | |
| | | | W,X,Y- Service Transfer Diagnosis ⊠ | |
| Hospital ICD-9 | 296 | First Position Only □ | M-Most Responsible Diagnosis ⊠ | Acute Care ⊠ |
| | 311 | All positions ⊠ | 1-Pre-Admit Comorbidity ⊠ | Rehabilitation ⊠ |
| | | Others 🗆 | 2-Post-Admit Comorbidity ⊠ | Day Surgery ⊠ |
| | | N/A □ | 3-Secondary Diagnosis ⊠ | |
| | | | 4-Morphology Code ⊠ | |
| | | | 5-Admitting Diagnosis ⊠ | |
| | | | 6-Proxy Most Responsible Diagnosis ⊠ | |
| | | | 9-External Cause of Injury Code ⊠ | |

[Type here]

| | | | 0-Newborn ⊠ | |
|---------------------|-----------------|-----------------------|-------------------------------------|-----|
| | | | W,X,Y- Service Transfer Diagnosis ⊠ | |
| Practitioner Claims | 296 | First Position Only □ | N/A | N/A |
| ICD-9 | 311 | All positions ⊠ | | |
| | 50B (see Notes) | Others 🗆 | | |
| | | N/A □ | | |
| Practitioner Claims | F32 | First Position Only □ | N/A | N/A |
| ICD-10 | F33 | All positions ⊠ | | |
| | | Others 🗆 | | |
| | | N/A □ | | |
| PharmaNet Drug | N/A | N/A | N/A | N/A |
| History | | | | |

Notes: 50B is a BC Specific diagnostic code used by physician billings (MSP). It is used for both anxiety and depression.

Diagnostic Code:

| ICD-9/10 | Description |
|-----------------|---|
| F22 | December 1 |
| F32 | Depressive episode |
| F33 | Recurrent depressive disorder |
| 296 | Affective psychoses |
| 311 | Depressive disorder, not elsewhere classified |
| MSP DX Code 50B | Anxiety/Depression |

Procedure Code: N/A

Drug List: N/A