

British Columbia Chronic Disease Registries (BCCDR) Case Definitions (Last Update: March 2023)

Population Health Surveillance and Epidemiology Branch

Office of the Provincial Health Officer

British Columbia (BC) Ministry of Health

(Contact: hlth.cdrwg@gov.bc.ca)

[Ty	ре	he	re

HYPERTENSION

200	Definition	Typo	Haalth	Sarvica	Contact	Drovalonco	□ Incidence	Data 🛚	Lifatima	Prevalence [$\overline{\Delta}$
-dSE	Dellillilloll	Type:	пеани	Service	Contact	Prevalence		e nate 🗠	a riietiille	Prevalence i	\simeq

Case Definition:

One or more hospitalization with a hypertension diagnostic code, OR Two or more physician visits with a hypertension diagnostic code within two years.

Signed-off BC Case Definition: Yes \square - V2021 No \boxtimes

Notes: Cases of suspected gestational hypertension in women aged 10-54 are not included by excluding hospitalizations and practitioner claims within the time period 120 days preceding or 180 days after hospital records containing birth-related diagnostic codes (see gestational hypertension exclusion codes below).

Age Restriction: 20+ years

Data Source(s):

Data Source	ICD Code/Procedure Code/Rx	ICD Code/Procedure Code Position	Diagnosis Type	Hospital Care Level
Hospital ICD-10	110 111 112 113 115	First Position Only All positions Others N/A	M-Most Responsible Diagnosis ⊠ 1-Pre-Admit Comorbidity ⊠ 2-Post-Admit Comorbidity ⊠ 3-Secondary Diagnosis ⊠ 4-Morphology Code ⊠ 5-Admitting Diagnosis ⊠ 6-Proxy Most Responsible Diagnosis ⊠ 9-External Cause of Injury Code ⊠ 0-Newborn ⊠ W,X,Y- Service Transfer Diagnosis ⊠	Acute Care ⊠ Rehabilitation ⊠ Day Surgery ⊠
Hospital ICD-9	401 402 403 404 405	First Position Only □ All positions ⊠ Others □ N/A □	M-Most Responsible Diagnosis ⊠ 1-Pre-Admit Comorbidity ⊠ 2-Post-Admit Comorbidity ⊠ 3-Secondary Diagnosis ⊠ 4-Morphology Code ⊠ 5-Admitting Diagnosis ⊠	Acute Care ⊠ Rehabilitation ⊠ Day Surgery ⊠

[Type here]

			6-Proxy Most Responsible Diagnosis ⊠ 9-External Cause of Injury Code ⊠ 0-Newborn ⊠ W,X,Y- Service Transfer Diagnosis ⊠	
Practitioner Claims ICD-9	401 402 403 404 405	First Position Only □ All positions ⊠ Others □ N/A □	N/A	N/A
Practitioner Claims ICD-10	110 111 112 113 115	First Position Only □ All positions ⊠ Others □ N/A □	N/A	N/A
PharmaNet Drug History	N/A	N/A	N/A	N/A

Diagnostic Code:

ICD-9/10	Description		
I10	Essential (primary) hypertension		
l11	Hypertensive heart disease		
l12	Hypertensive renal disease		
I13	Hypertensive heart and renal disease		
l15	Secondary hypertension		
401	Essential hypertension		
402	Hypertensive heart disease		
403	Hypertensive renal disease		
404	Hypertensive heart and renal disease		
405	Secondary hypertension		
Gestational Hypertension Exclusion Codes			
641	Antepartum haemorrhage, abruptio placentae, and placenta praevia		

Procedure Code: N/A

[Type here]

Drug List: N/A